

L Number	Hits	Search Text	DB	Time stamp
-	75	(conformance adj testing) and protocol\$1	USPAT; US-PGPUB; EPO; JPO	2003/05/30 11:00
-	62	((conformance adj testing) and protocol\$1) and @ad<=20000131	USPAT; US-PGPUB; EPO; JPO	2003/05/29 10:26
-	9	((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway	USPAT; US-PGPUB; EPO; JPO	2003/05/29 10:10
-	50	((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:02
-	4	(370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:08
-	716	@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))))	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:09

-	231	(@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:09
-	12	((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))))) and testing) and (test adj sequence\$1)	USPAT; US-PGPUB; EPO; JPO	2003/05/29 11:15
-	5	(conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)	USPAT; US-PGPUB; EPO; JPO	2003/05/29 13:04

	1215	<p>((conformance adj testing) or policing) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not ((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)))</p>	USPAT; US-PGPUB; EPO; JPO	2003/05/29 13:09
--	------	--	---------------------------------	---------------------

	798	<p>(((conformance adj testing) or policing) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)))) and @ad<=20000131</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 13:10</p>
--	-----	---	--	-----------------------------

	19	<p>(((conformance adj testing) or policing) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)))) and @ad<=20000131) and (test\$3 near3 sequenc\$3)</p>	USPAT; US-PGPUB; EPO; JPO	2003/05/29 13:44
--	----	---	---------------------------------	---------------------

	216	<p>(370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19")</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 13:46</p>
--	-----	--	--	-----------------------------

	<p>90 ((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19")) and (test\$3 near3 sequenc\$3)</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 13:47</p>
--	--	--	-----------------------------

	<p>83 (((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19")) and (test\$3 near3 sequenc\$3)) and @ad<=20000131</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 13:48</p>
--	---	--	-----------------------------

	31	<p>(((370/242-245,236,250; 379/10.01,27.04; 455/67.4; 714/715).ccls. and testing and sequence\$1 and state\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or "L19")) and (test\$3 near3 sequenc\$3)) and @ad<=20000131) and protocol\$1</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 13:58</p>
--	----	---	--	-----------------------------

(test adj sequence\$3) and gateway not
((((conformance adj testing) and
protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
(((conformance adj testing) and protocol\$1)
and @ad<=20000131) and gateway) not
lucent.as.) or ((370/242,255).ccls. and
@ad<20000131 and protocol\$1 and
(transition\$3 with state\$1) and (gateway\$1
or PSTN) not ((((conformance adj testing)
and protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
(((conformance adj testing) and protocol\$1)
and @ad<=20000131) and gateway) not
lucent.as.))) or (((@ad<20000131 and
protocol\$1 and (transition\$3 with state\$1)
and (gateway\$1 or PSTN) not
((((conformance adj testing) and
protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
(((conformance adj testing) and protocol\$1)
and @ad<=20000131) and gateway) not
lucent.as.) or ((370/242,255).ccls. and
@ad<20000131 and protocol\$1 and
(transition\$3 with state\$1) and (gateway\$1
or PSTN) not ((((conformance adj testing)
and protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
(((conformance adj testing) and protocol\$1)
and @ad<=20000131) and gateway) not
lucent.as.))))) and testing) and (test adj
sequence\$1)) or ((conformance adj testing)
and gateway\$1 not (((conformance adj
testing) and protocol\$1) and
@ad<=20000131) and gateway)) or
(((370/242-245,236,250; 379/10.01,27.04;
455/67.4; 714/715).ccls. and testing and
sequence\$1 and state\$1 not
((((conformance adj testing) and
protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
(((conformance adj testing) and protocol\$1)
and @ad<=20000131) and gateway) not
lucent.as.) or ((370/242,255).ccls. and
@ad<20000131 and protocol\$1 and
(transition\$3 with state\$1) and (gateway\$1
or PSTN) not ((((conformance adj testing)
and protocol\$1) and @ad<=20000131) and
gateway) or (((conformance adj testing) and
protocol\$1) and @ad<=20000131) not
3pr2-prnls pncd page <P20000131) not
cel(09-85068 no pdj testing) and protocol\$1)
and @ad<=20000131) and gateway) not

Page 1 of 1

2003/05/29
14:00

[illegible]

	1	<p>(((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((conformance adj testing) or policing) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and</p>	<p>USPAT; US-PGPUB; EPO; JPO</p>	<p>2003/05/29 14:14</p>
--	---	---	--	-----------------------------

	11	<p>(conformance adj testing) not (((conformance adj testing) and protocol\$1) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.)))) and testing) and (test adj sequence\$1)) or ((conformance adj testing) and gateway\$1 not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway)) or (((conformance adj testing) or policing) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.) or ((370/242,255).ccls. and @ad<20000131 and protocol\$1 and (transition\$3 with state\$1) and (gateway\$1 or PSTN) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) or (((conformance adj testing) and protocol\$1) and @ad<=20000131) not (((conformance adj testing) and protocol\$1) and @ad<=20000131) and gateway) not lucent.as.))) or (((@ad<20000131 and</p>	USPAT; US-PGPUB; EPO; JPO	2003/05/29 14:35
--	----	--	---------------------------------	---------------------

